Mindful Continuing Education

Analyzing Drugs of Abuse: Overview, Treatment, and Prevention

1. Substance use disorder consists of _____, behavioral, and psychological symptoms and that despite these symptoms and other substance-induced problems, they continue to use the substance(s).

- A. cognitive
- B. social
- C. tolerance
- D. hazardous

2. A person's need to increase the amount of the substance to achieve the desired effect.

- A. addiction
- B. withdrawal
- C. impairment
- D. tolerance

3. What is the most common substance use disorder in the United States?

- A. cannabis
- B. cocaine
- C. alcohol
- D. opioids

4. Which substance is associated with difficulties in memory formation, abstract thinking, problem solving, attention and concentration, and perception of emotions among chronic users?

- A. cannabis
- B. cocaine
- C. alcohol
- D. opioids

5. Which substance was initially utilized in high altitudes to enhance alertness and endurance?

- A. MDMA
- B. cocaine
- C. peyote
- D. psilocybin

6. Which substance was originally employed as a treatment for asthma?

- A. amphetamine
- B. cocaine
- C. ephedrine
- D. buprenorphine

7. Which category of substances is associated with potential side effects such as undernourishment and increased risk of HIV and Hepatitis exposure?

A. stimulants

- B. depressants
- C. opioids
- D. hallucinogens

8. Which category of substances poses a particularly high risk, as even a small margin for error in dosage can be life-threatening due to their potency?

- A. stimulants
- B. depressants
- C. opioids
- D. hallucinogens

9. Name the category of substances that can be found naturally in the poppy plant or produced in a laboratory.

- A. stimulants
- B. depressants
- C. opioids
- D. hallucinogens

10. Identify the category of substances that carry a high risk of drug overdoses but can frequently be reversed with naloxone.

- A. designer drugs
- B. stimulants
- C. depressants
- D. opioids

11. The following are all medications that treat opioid use disorder except

A. methadone

- B. buprenorphine
- C. naltrexone

12. Mild effects of this drug group includes feelings of detachment and an altered sense of space and time,

- A. stimulants
- B. depressants
- C. opioids
- D. hallucinogens

13. Addiction and physical dependence is rare in this drug group as they do not activate the brain's pleasure centers.

- A. cannabis
- B. depressants
- C. hallucinogens
- D. designer drugs

14. Long-term health effects include addiction, chronic bronchitis, and exacerbation of mood disorders.

- A. cannabis
- B. depressants
- C. hallucinogens
- D. alcohol

15. A group of drugs specifically created to imitate well-known illicit substances are referred to as

- ____
- A. psilocybin
- B. new psychoactive substances
- C. cannabinoids
- D. opioids

16. Medically managed treatments specifically designed to stabilize individuals and assist them in managing withdrawal symptoms are known as ____.

- A. emergency departments
- B. detoxification treatment
- C. inpatient treatment
- D. outpatient treatment

17. The most commonly utilized treatment approach in substance use rehabilitation programs is

- A. medication management
- B. inpatient treatment
- C. behavioral therapy
- D. outpatient treatment

18. All the following are risk factors for substance use except____

- A. abusive family home
- B. struggling academically or occupationally
- C. spending time around people who use
- D. strong religious beliefs

19. Protective factors against drug abuse include all except

- A. parental monitoring
- B. good grades
- C. positive relationships with others
- D. having a mental health disorder

20. Drug prevention programs should target

- A. transition times around major life changes
- B. middle schoolers
- C. children of divorced parents
- D. retirees

Copyright © 2025 Mindful Continuing Education

Visit us at https://www.mindfulceus.com